



technische import

Productinformatie



FRATELLI PETTINAROLI

BAFA.NL




DESCRIPTION

52/3

F x Union end heavy duty full-flow ball valve with red butterfly handle. Nickel plated.

Conform to **EN 13828**

DIMENSIONS



| D | 1/2" x 1/2" | 3/4" x 3/4" | 1" x 1" | 1 1/4" x 1 1/4" |
|------------|-------------|-------------|---------|-----------------|
| d | 10 | 10 | 15 | 20 |
| H | 43 | 43 | 46 | 56 |
| I | 11.5 | 12 | 17 | 18 |
| I2 | 12 | 13 | 17 | 19 |
| L | 92 | 103 | 118 | 138 |
| R | 58 | 58 | 58 | 65 |
| Weight [g] | 315 | 490 | 840 | 1285 |

Dimensions in **mm**

All threads are conform to ISO 7 or ISO 228 standards


MATERIALS

| | |
|---------------------|---|
| Body | CW617N (EN 12165) CuZn40Pb2 |
| Ball | CW617N (EN 12165) CuZn40Pb2 Chrome plated |
| Stem | CW614N (EN 12164) CuZn39Pb3 |
| Stuffing box | CW614N (EN 12164) CuZn39Pb3 Adjustable |
| Nut | CW617N (EN 12165) CuZn40Pb2 |
| Tail | CW617N (EN 12165) CuZn40Pb2 |
| Seat | 2 x PTFE + 1 x PTFE on the stem |
| O-Rings | 2 x FKM + 1 x EPDM on the tail |
| Lever | Painted aluminum |

APPROVALS




PRESSURE DROP DIAGRAM



| Dim. | 1/2" x 1/2" | 3/4" x 3/4" | 1" x 1" | 1 1/4" x 1 1/4" |
|------|-------------|-------------|---------|-----------------|
| Kv | 14.5 | 30 | 45 | 97 |
| PN | 42 | 42 | 35 | 35 |

TEMPERATURE / PRESSURE DIAGRAM



RECOMMENDED WORKING TEMPERATURE/PRESSURE LIMITS

30 bar – 100°C – non shock



technische import

Nijverheidsweg 11
7005 AS Doetinchem
T. +31 (0)314-344342
E. info@bafa.nl

BAFA.NL