



technische import

Produkt informatie



FRATELLI PETTINAROLI SPA

www.bafa.nl




DESCRIPTION

53BDS

F x F Heavy duty full-flow ball valve with drain-off.
With gear handle.

According to E-DIN 3433

DIMENSIONS



D	1/2"	3/4"	1"	1 1/4"
d	15	20	25	32
H	66	72	78	83
A	43	49	56	65
L	62	69	84	96
R	70	70	70	70
Acc.	1	2	3	3
g	350	480	750	1040

All threads are in accordance with ISO 7/1 or ISO 228

MATERIALS



Body CuZn40Pb2 Cw617N (DIN 50930 part.6)

Ball/ Drain CuZn40Pb2 Cw617N (DIN 50930 part.6)
Diamond polished and chrome plated.

Spindle/Cap CuZn39Pb3 Cw614N (DIN 50930 part.6)

Stuffing box CuZn39Pb3 Cw614N (DIN 50930 part.6)
Adjustable.

Seats PTFE

O-rings 2 x Viton®
PTFE seal.

Lever Nylon fiber

TAIL VARIANTS

53BDS F X F, Blue gear handle


HANDLE VARIANTS

51BDS Blue steel lever
52BDS Blue butterfly handle
53BDS Blue gear handle

APPROVALS




PRESSURE DROP DIAGRAM



Dim.	1/2"	3/4"	1"	1 1/4"
Kv	6.6	6.7	14.5	30
PN	42	42	35	35

TEMPERATURE / PRESSURE DIAGRAM



RECOMMENDED WORKING TEMPERATURE/ PRESSURE LIMIT

30 bar - 100°C - non shock